

# Product data sheet Closer body TS 4000 EFS KM BG \*



Overhead door closer with link arm EN 1-6 with electric free swing function

### AREAS OF APPLICATION

- ightarrow Fire and smoke protection doors
- ightarrow Right and left single-action doors
- ightarrow Single-action doors up to 1400 mm leaf width
- ightarrow Transom installation opposite hinge side
- ightarrow Hold-open systems with integrated hold-open function with free swing
- ightarrow Barrier-free access in accordance with DIN 18040



## **PRODUCT FEATURES**

- ightarrow Closing force can be variably adjusted from the front
- ightarrow Visual closing force display ensures correct setting
- ightarrow Closing seed can be adjusted from the front via valve
- ightarrow Latching action can be adjusted via link arm
- ightarrow Electric free swing function
- ightarrow Door closer, can be used for right and left hand doors
- ightarrow Supply voltage 24 V DC
- ightarrow Same mounting hole pattern as all GEZE TS 4000 closers

#### TECHNICAL DATA

Productname	Closer body TS 4000 EFS KM BG *			
Closing force in accordance with EN 1154	EN 1 - 6			
Leaf width (max.)	1400 mm			
Type of installation	Transom installation opposite hinge side			
Opening angle (max.)	180 °			
Identical design for DIN left and DIN right	Yes			
Input voltage	24 V DC			
Electrical power consumption	1 W			
Duty rating	100 %			
Residual ripple	20 %			
IP rating	IP43			
Standard conformity	EN 1154:1996/A1:2002/AC:2006, EN 1155			
Suitability for fire protection doors	Yes			
Length	325 mm			
Width	46 mm			
Height	60 mm			
Closing force adjustable	Yes, stepless			
Adjustable closing speed	Yes			
Latching action adjustable	Yes, via link arm			
Back check integrated	No			
Position of closing force adjustment	Front			
Visual closing force display	Yes			
Safety valve againts overload	Yes			
Thermo-control valves	Yes			
Hold-open function	Electrical			
Smoke switch integrated	No			



#### **VARIANTS / ORDER INFO**

Designation	Description	ldent- No.	Colour	Closing force in accordance with EN 1154	Dimension s
GEZE TS 4000 EFS KM BG door closer *	Size EN 1-6, transom installation opposite hinge side, with electric hold-open device for free swing function (without free swing link arm)	N/A	according to RAL	EN 1 - 6	325 x 46 x 60 mm
GEZE TS 4000 EFS KM BG door closer *	Size EN 1-6, transom installation opposite hinge side, with electric hold-open device for free swing function (without free swing link arm)	N/A	silver- coloured	EN 1 - 6	325 x 46 x 60 mm

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.