


# Product data sheet

## Rollan 40 NT complete set for wooden door leaves



Sliding door fitting for timber leaves

### AREAS OF APPLICATION

- For leaf weights up to 40 kg
- For wall installation
- For single leaf metal and timber doors

# Rollan 40 NT complete set for wooden door leaves



## PRODUCT FEATURES

→ Sliding door fitting for timber leaves with up to 40 kg leaf weight

## TECHNICAL DATA

Productname	Rollan 40 NT complete set for wooden door leaves
Leaf material	Plastic, Metal, Wood
Leaf weight (max.)	40 kg
Number of leaves	1-leaf, 2-leaf
Test cycles	25000
Corrosion protection class	1
Type of installation	Wall, Ceiling
Access for all	according to DIN 18040

## VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Leaf width (min.)	Leaf width (max.)	Type of installation
GEZE Rollan 40 NT Complete Set	Set for wall and ceiling installation with timber leaf standard, up to 40 kg leaf weight -plain bearing-	160405	500 mm	590 mm	Wall, Ceiling
GEZE Rollan 40 NT Complete Set	Set for wall and ceiling installation with timber leaf standard, up to 40 kg leaf weight -plain bearing-	160407	500 mm	920 mm	Wall, Ceiling
GEZE Rollan 40 NT Complete Set	Set for wall and ceiling installation with timber leaf standard, up to 40 kg leaf weight -plain bearing-	160409	500 mm	1190 mm	Wall, Ceiling
GEZE Rollan 40 NT Complete Set	Set for wall and ceiling installation with timber leaf standard, up to 40 kg leaf weight -plain bearing-	160410	500 mm	1420 mm	Wall, Ceiling
GEZE Rollan 40 NT Complete Set	Set for wall and ceiling installation with timber leaf standard, up to 40 kg leaf weight -plain bearing-	160406	500 mm	840 mm	Wall, Ceiling
GEZE Rollan 40 NT Complete Set	Set for wall and ceiling installation with timber leaf standard, up to 40 kg leaf weight -plain bearing-	160408	500 mm	970 mm	Wall, Ceiling

# Rollan 40 NT complete set for wooden door leaves



## PART

### ROLLAN 80 NT COMPLETE SET

Sliding door fitting for timber leaves



Designation	Description	Ident-No.	Leaf width (min.)	Leaf width (max.)	Type of installation
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with timber leaf standard, up to 80 kg leaf weight -ball bearing-	160415	500 mm	1420 mm	Wall, Ceiling
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with timber leaf standard, up to 80 kg leaf weight -ball bearing-	160411	500 mm	840 mm	Wall, Ceiling
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with timber leaf standard, up to 80 kg leaf weight -ball bearing-	160413	500 mm	970 mm	Wall, Ceiling
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with timber leaf standard, up to 80 kg leaf weight -ball bearing-	160412	500 mm	920 mm	Wall, Ceiling
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with timber leaf standard, up to 80 kg leaf weight -ball bearing-	160414	500 mm	1190 mm	Wall, Ceiling
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with timber leaf standard, up to 80 kg leaf weight -ball bearing-	160416	500 mm	1640 mm	Wall, Ceiling

## ACCESSORIES

### DOOR STOP

End stop for sliding leaves



Designation	Ident-No.
Door stop	000339
Door stop	000342

# Rollan 40 NT complete set for wooden door leaves



## FLUSH PULL, 15-80 MM WOOD \*

Flush pull for timber leaf



Designation	Description	Ident-No.	Colour
Flush pull, 15-80 mm wood *	Outer diameter 60 mm, specify leaf thickness when ordering	127614	Stainless steel

## ROLLAN 80 NT SOFTSTOP SET, DAMPED ON ONE SIDE, UP TO 40 KG

Rollan SoftStop for damping on one side for leaf weights up to 40 kg



Designation	Description	Ident-No.
Rollan 80 NT SoftStop set, damped on one side, up to 40 kg	The set includes: 1 x damping unit, 1 x release device. Requirements for damping on both sides = 2 pieces.	160360

## CLIP-ON COVER SET 100 SPACER BRACKET

Spacer bracket for clip-on cover 100



Designation	Description	Ident-No.
Clip-on cover set 100 spacer bracket	6 pieces, increase lateral distance of clip-on cover by 7.5 mm each, incl. 6 screws 4.5 x 10 mm T20. For use with Perlan AUT-NT as well as for leaf thicknesses from 30 mm	137754

# Rollan 40 NT complete set for wooden door leaves



## CLIP-ON COVER SET 100 PLASTIC CLIP

Plastic clip for spacer bracket for clip-on cover 100



Designation	Description	Ident-No.
Clip-on cover set 100 plastic clip	10 pieces, for the direct attachment of the clip-on cover 100 on the track or the spacer brackets	137863

## HEIGHT COMPENSATION MECHANISM / CEILING DISTANCE SET, WITH VARIABLE ADJUSTMENT

Height compensation with variable adjustment for ceiling installation of tracks



Designation	Description	Ident-No.
Height compensation mechanism / ceiling distance set, with variable adjustment	6 pieces, height compensation mechanism with variable adjustment from 13 mm to 18 mm. For use for ceiling mounting using clip-on cover 100/145 as well as for general use on uneven ceilings	138099

## DOOR PULL HANDLE, CONFIGURED \*

Push bar – round design for installation on glass leaves




Designation	Ident-No.	Colour
Door pull handle, configured *	127616	Stainless steel

# Rollan 40 NT complete set for wooden door leaves



## END CAP SET CLIP-ON COVER 100 \*

End cap for clip-on cover 100, slim version



Designation	Description	Ident-No.	Colour
End cap set clip-on cover 100 *	2 pieces, narrow version, for use without spacer bracket	137869	according to RAL
End cap set clip-on cover 100 *	2 pieces, narrow version, for use without spacer bracket	137867	Stainless steel optic
End cap set clip-on cover 100 *	2 pieces, narrow version, for use without spacer bracket	137865	EV1

## END CAP SET CLIP-ON COVER 100 \*

End cap for clip-on cover 100, large version



Designation	Description	Ident-No.	Colour
End cap set clip-on cover 100 *	2 pieces, wide version, for use with spacer bracket	137866	Stainless steel optic
End cap set clip-on cover 100 *	2 pieces, wide version, for use with spacer bracket	137864	EV1
End cap set clip-on cover 100 *	2 pieces, wide version, for use with spacer bracket	137868	according to RAL

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.